

Direct to Film Printer DTX2 A3 Direct to Film Printer

198

With the intelligent operation panel ,aotumatic printing, powdering and heating ,Air Purifier maintaining good air quality,you can get the procedures all in one go:textile ink on PET film , hot melt powder on the printed image , heat the image onto T-shirts — extremely laboursaving and efficient.

Dual F1080 Print Heads Speed

4pass-4m²/h 6pass-3m²/h



DTX2 A3 Direct to Film Printer

RIP softwareMain TopFile formatPDF、JPEG、TIFF etc.Power350W	Print Head	F1080
Applicable MediumPET filmInk typePigment inkInterfaceLANMedium width300mmPower supply220V/110VPrinthead heightAdjustable height 0-12mmInk supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF, JPEG, TIFF etc.Power350W	Number of printhead	2
Ink typePigment inkInterfaceLANMedium width300mmPower supply220V/110VPrinthead heightAdjustable height 0-12mmInk supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF, JPEG, TIFF etc.Power350W	Print speed	4pass 4m ² /h 6pass 3m ² /h
InterfaceLANMedium width300mmPower supply220V/110VPrinthead heightAdjustable height 0-12mmInk supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF, JPEG, TIFF etc.Power350W	Applicable Medium	PET film
Medium width300mmPower supply220V/110VPrinthead heightAdjustable height 0-12mmInk supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF, JPEG, TIFF etc.Power350W	Ink type	Pigment ink
Power supply220V/110VPrinthead heightAdjustable height 0-12mmInk supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF, JPEG, TIFF etc.Power350W	Interface	LAN
Printhead heightAdjustable height 0-12mmInk supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF, JPEG, TIFF etc.Power350W	Medium width	300mm
Ink supply system500ml ink bottles + automatic white ink circulationRIP softwareMain TopFile formatPDF、JPEG、TIFF etc.Power350W	Power supply	220V/110V
RIP softwareMain TopFile formatPDF、JPEG、TIFF etc.Power350W	Printhead height	Adjustable height 0-12mm
File formatPDF、JPEG、TIFF etc.Power350W	Ink supply system	500ml ink bottles + automatic white ink circulation
Power 350W	RIP software	Main Top
	File format	PDF、JPEG、TIFF etc.
	Power	350W
Gross weight /5KG	Gross weight	75KG
Working power 3000W	Working power	3000W
Printer dimensions 970mm(L)x540mm(W) x450mm(H)	Printer dimensions	970mm(L)x540mm(W) x450mm(H)
Packing size 1080mm(L)x650mm(W) x660mm(H)	Packing size	1080mm(L)x650mm(W) x660mm(H)

PSM A3 Powder Shaking Machine

Media width	0-380mm
Applicable	PVC、EVA、PE、Nylon, Chemical Fiber, Cotton, etc.
Control panel	Intelligent operation panel
Power supply	110V/220V
Electrical Parameters	Rated current 5A Rated power 1.5KW
Heating Function	Quartz tube heating
Drying tunnel length	400mm
Rewind function	Automatic induction winding
Machine dimensions	900mm(L)x600mm(W)x580mm(H)
Machine weight	35kg
Packing weight	45kg

Operating procedures





Hansen's high-precision, high-speed and stable board card, delicate printing,
bright color performance
Automatic media feeder, easy to operate and efficient
Easy to use, print, powder, dry, all in one go
Waste powder recycling technology, avoiding waste and saving costs
White ink circulation and filtration system automatically prevent head blockage

RUIWAN RC01 Air Purifier

Air Inlet Interface	Φ75mm*1
Input Voltage	AC220V/110V 50Hz
Maximum Power	60W
Filtering Efficiency	99.7%
Noise	<53dB
Length of Duct	1M
Dimensions of Main Unit	290mm(L)x250mm(W)x340mm(H)
Weight	9kg

ESSENTIAL COLORANT TECHNOLOGY CO.,LTD. E-mail:market@essential-colorant.com